

Table of Contents

- 1. AMIC KNEE Overall 2
 - 1.1 RCT..... 2
 - 1.2 Meta-analysis..... 2
 - 1.3 Systematic Review 2
 - 1.4 Case Control..... 3
 - 1.5 Case series 3
 - 1.6 Guidelines 6
 - 1.7 Case Reports & Expert Opinions..... 6
- 2. AMIC Patellofemoral (Subset from AMIC Knee)..... 7
 - 2.1 Case Control..... 7
 - 2.2 Case series 7
 - 2.3 Case Reports 7
- 3. AMIC ANKLE 8
 - 3.1 Meta-Analysis 8
 - 3.2 Systematic Review 8
 - 3.3 Case Control..... 8
 - 3.4 Case Series 8
 - 3.5 Guidelines 11
 - 3.6 Case Reports & Expert Opinions..... 11
- 4. AMIC HIP 13
 - 4.1 Systematic Review 13
 - 4.2 Case Control..... 13
 - 4.3 Case Series 13
 - 4.4 Guidelines 14
 - 4.5 Case Reports & Expert Opinions..... 14
- 5. AMIC METATARSOPHALANAGEAL..... 15
 - 5.1 Case Control..... 15
 - 5.2 Case Series 15
 - 5.3 Case Report 15
- 6. AMIC UPPER EXTREMITY 15
 - 6.1 Case Series 15
 - 6.2 Case Report 16
- 7. Hyaline-like cartilage with Chondro-Gide (Subset) 17

1. AMIC KNEE Overall

1.1. RCT

1. Volz, et al., (2024) A randomized controlled trial demonstrating sustained benefit of autologous matrix-induced chondrogenesis (AMIC®) over microfracture: 10-year follow-up. *Eur J Orthop Surg Traumatol.* 2024 Apr 17. <https://pubmed.ncbi.nlm.nih.gov/38630297/>
2. Snow M, *et al.* (2023) A Randomized Trial of Autologous Chondrocyte Implantation Versus Alternative Forms of Surgical Cartilage Management in Patients With a Failed Primary Treatment for Chondral or Osteochondral Defects in the Knee. *Am J Sports Med.*51(2):367-78. <https://www.ncbi.nlm.nih.gov/pubmed/36661257>
3. de Girolamo L, *et al.* (2019) Autologous Matrix-Induced Chondrogenesis (AMIC) and AMIC Enhanced by Autologous Concentrated Bone Marrow Aspirate (BMAC) Allow for Stable Clinical and Functional Improvements at up to 9 Years Follow-Up: Results from a Randomized Controlled Study. *J Clin Med.*8(3). <https://www.ncbi.nlm.nih.gov/pubmed/30901900>
4. Fossum V, *et al.* (2019) Collagen-Covered Autologous Chondrocyte Implantation Versus Autologous Matrix-Induced Chondrogenesis: A Randomized Trial Comparing 2 Methods for Repair of Cartilage Defects of the Knee. *Orthopaedic Journal of Sports Medicine.*7(9):2325967119868212. <https://pubmed.ncbi.nlm.nih.gov/23730377/>
5. Volz M, *et al.* (2017) A randomized controlled trial demonstrating sustained benefit of Autologous Matrix-Induced Chondrogenesis over microfracture at five years. *Int Orthop.*41(4):797-804. <https://www.ncbi.nlm.nih.gov/pubmed/28108777>
6. Anders S, *et al.* (2013) A Randomized, Controlled Trial Comparing Autologous Matrix-Induced Chondrogenesis (AMIC(R)) to Microfracture: Analysis of 1- and 2-Year Follow-Up Data of 2 Centers. *Open Orthop J.*7:133-43. <https://www.ncbi.nlm.nih.gov/pubmed/23730377>

1.2. Meta-analysis

7. Tan C, *et al.* (2024) Arthroscopic and open approach for autologous matrix induced chondrogenesis (AMIC®) repair of the knee have similar results: a meta-analysis. *J ISAKOS.* 2023; <https://doi.org/10.1016/j.jisako.2023.10.003>
8. Migliorini F, *et al.* (2021) Surgical management of focal chondral defects of the knee: a Bayesian network meta-analysis. *J Orthop Surg Res.*16(1):543. <https://www.ncbi.nlm.nih.gov/pubmed/34470628>
9. Migliorini F, *et al.* (2022) Autologous matrix-induced chondrogenesis is effective for focal chondral defects of the knee. *Sci Rep.*12(1):9328. <https://www.ncbi.nlm.nih.gov/pubmed/35661147>
10. Steinwachs MR, *et al.* (2019) Systematic Review and Meta-Analysis of the Clinical Evidence on the Use of Autologous Matrix-Induced Chondrogenesis in the Knee. *Cartilage.*1947603519870846. <https://www.ncbi.nlm.nih.gov/pubmed/31508990>

1.3. Systematic Review

11. Ong, *et al.*, (2024) A systematic review on Autologous Matrix Induced Chondrogenesis (AMIC) for chondral knee defects. *Knee* 51:102–113. <https://doi.org/10.1016/j.knee.2024.08.003>
12. Migliorini F, *et al.* (2022) Matrix-induced autologous chondrocyte implantation (mACI) versus autologous matrix-induced chondrogenesis (AMIC) for chondral defects of the knee: a systematic review. *British Medical Bulletin.*Idac004. <https://doi.org/10.1093/bmb/ldac004>
13. Karpinski K, *et al.* (2021) Matrix-induced chondrogenesis is a valid and safe cartilage repair option for small- to medium-sized cartilage defects of the knee: a systematic review. *Knee Surg Sports Traumatol Arthrosc.* <https://www.ncbi.nlm.nih.gov/pubmed/33743030>

14. da Cunha CB, et al. (2020) Enhanced microfracture using acellular scaffolds improves results after treatment of symptomatic focal grade III/IV knee cartilage lesions but current clinical evidence does not allow unequivocal recommendation. *Knee Surg Sports Traumatol Arthrosc.* <https://www.ncbi.nlm.nih.gov/pubmed/31894366>
15. Kim J, et al. (2020) Clinical and Radiological Outcomes After Autologous Matrix-Induced Chondrogenesis Versus Microfracture of the Knee: A Systematic Review and Meta-analysis With a Minimum 2-Year Follow-up. *Orthopaedic Journal of Sports Medicine.*8(11):2325967120959280. <https://pubmed.ncbi.nlm.nih.gov/33209942/>
16. Gao L, et al. (2019) Autologous matrix-induced chondrogenesis: a systematic review of the clinical evidence. *The American journal of sports medicine.*47(1):222-31. <https://pubmed.ncbi.nlm.nih.gov/29161138/>
17. Shaikh N, et al. (2017) Systematic review on the use of autologous matrix-induced chondrogenesis for the repair of articular cartilage defects in patients. *World J Orthop.*8(7):588-601. <https://www.ncbi.nlm.nih.gov/pubmed/28808630>
18. Wylie JD, et al. (2016) Failures and Reoperations after Matrix-Assisted Cartilage Repair of the Knee: A Systematic Review. *Arthroscopy - Journal of Arthroscopic and Related Surgery.*32(2):386-92. <https://www.ncbi.nlm.nih.gov/pubmed/26422710>
19. Bark S, et al. (2014) Enhanced microfracture techniques in cartilage knee surgery: Fact or fiction? *World J Orthop.*5(4):444-9. <https://www.ncbi.nlm.nih.gov/pubmed/25232520>
20. Lee YHD, et al. (2014) Autologous Matrix-Induced Chondrogenesis in the Knee: A Review. *Cartilage.*5(3):145-53. <https://www.ncbi.nlm.nih.gov/pubmed/26069694>

1.4. Case Control

21. Behrendt, et al., (2024) Autologous matrix-induced chondrogenesis provides better outcomes in comparison to autologous minced cartilage implantation in the repair of knee chondral defects. *Knee Surg, Sports Traumatol, Arthrosc.* 2024 Jul 30. <https://pubmed.ncbi.nlm.nih.gov/39077845/>
22. Debieux, et al., (2024) Autologous Matrix-Induced Chondrogenesis Versus Osteochondral Autograft Transfer System in Patellar Chondral Lesions: A Comparative Study with a 2-Year Follow-Up. *Journal of Cartilage & Joint Preservation.* 26 April 2024, 100189. <https://doi.org/10.1016/j.jcip.2024.100189>
23. Migliorini F, *et al.*, (2021) Management of Patellar Chondral Defects with Autologous Matrix Induced Chondrogenesis (AMIC) Compared to Microfractures: A Four Years Follow-Up Clinical Trial. *Life (Basel).* 11(2). <https://pubmed.ncbi.nlm.nih.gov/33668454/>
24. Migliorini F, *et al.*, (2021) Autologous Matrix-Induced Chondrogenesis (AMIC) and Microfractures for Focal Chondral Defects of the Knee: A Medium-Term Comparative Study. *Life (Basel).* 11(3). <https://pubmed.ncbi.nlm.nih.gov/33669015/>
25. Schagemann J, *et al.* (2018) Mid-term outcome of arthroscopic AMIC for the treatment of articular cartilage defects in the knee joint is equivalent to mini-open procedures. *Arch Orthop Trauma Surg.* 138(6):819-25. <https://www.ncbi.nlm.nih.gov/pubmed/29356942>

1.5. Case series

26. Gille, *et al.*, (2024) Patient-Reported Outcome Measures in the Repair of Chondral Defects: How Well Do the Scores Relate to Each Other? *Surg Technol Int* 45: <https://pubmed.ncbi.nlm.nih.gov/39374580/>
27. Uso *et al.*, (2024) Drop in survivorship 13 years after AMIC procedures in aligned knees: A long-term follow-up. *Knee Surg, Sports Traumatol, Arthrosc.* <https://pubmed.ncbi.nlm.nih.gov/38984906/>

28. Sciaretta, *et al.*, (2024) One-stage cartilage repair using the autologous matrix-induced chondrogenesis combined with simultaneous use of autologous adipose tissue graft and adipose tissue mesenchymal cells technique: clinical results and magnetic resonance imaging evaluation at five-year follow-up. *Int Orthop.* 2024 Jan;48(1):267-277
<https://pubmed.ncbi.nlm.nih.gov/37656198/>
29. Peras M, et al. (2023) Does AMIC® Provide Improvements at Least Two Years After Surgery for Knee Osteochondral Lesions? A Multicentre Retrospective Study of 101 Patients. *Orthop Traumatol: Surg Res.* 2023;103774. <https://pubmed.ncbi.nlm.nih.gov/38008249/>
30. Gille J, et al. (2023) Positive outcomes following Autologous Matrix-Induced Chondrogenesis (AMIC) in the treatment of retropatellar chondral lesions: a retrospective analysis of a patient registry. *BMC Musculoskelet Disord.* 2023;24(1):964. <https://pubmed.ncbi.nlm.nih.gov/38082264/>
31. Mitrousias V, et al. (2023) Satisfactory patient-reported outcomes in patients treated with impaction bone grafting and autologous matrix-induced chondrogenesis for osteochondral knee defects. *Knee Surg Sports Traumatol Arthrosc.* 2023; <https://doi.org/10.1007/s00167-023-07626-2>
32. Allegra F, et al. (2023) Microfracture- and Xeno-Matrix-Induced Chondrogenesis for Treatment of Focal Traumatic Cartilage Defects of the Knee: Age-Based Mid-Term Results. *Healthcare.* 2023;11(22):2995. <https://doi.org/10.3390/healthcare11222995>
33. Sciarretta F, (2023) One-stage cartilage repair using the autologous matrix-induced chondrogenesis combined with simultaneous use of autologous adipose tissue graft and adipose tissue mesenchymal cells technique: clinical results and magnetic resonance imaging evaluation at five-year follow-up. *Int Orthop.* 2023;1–11. <https://doi.org/10.1007/s00264-023-05921-8>
34. Bakowski P, et al. (2022) Autologous Matrix-Induced Chondrogenesis (AMIC) for Focal Chondral Lesions of the Knee: A 2-Year Follow-Up of Clinical, Proprioceptive, and Isokinetic Evaluation. *J Funct Biomater.*13(4). <https://www.ncbi.nlm.nih.gov/pubmed/36547537>
35. Gille J, et al. (2022) Dynamic Postural Stability after Cartilage Repair in the Knee. *The Open Orthopaedics Journal*
<https://openorthopaedicsjournal.com/VOLUME/16/ELOCATOR/e187432502206300/>
36. Gille J, et al. (2021) Autologous Matrix-Induced Chondrogenesis for Treatment of Focal Cartilage Defects in the Knee: A Follow-up Study. *Orthopaedic Journal of Sports Medicine.*9(2):2325967120981872. <https://doi.org/10.1177/2325967120981872>
37. Waltenspül M, et al. (2021) Autologous Matrix-Induced Chondrogenesis (AMIC) for Isolated Retropatellar Cartilage Lesions: Outcome after a Follow-Up of Minimum 2 Years. *CARTILAGE:*19476035211021908. <https://pubmed.ncbi.nlm.nih.gov/34116609/>
38. Kaiser N, et al. (2020) Stable clinical long term results after AMIC in the aligned knee. *Arch Orthop Trauma Surg.* <https://www.ncbi.nlm.nih.gov/pubmed/32794150>
39. Miyahira MKC, et al. (2020) Larger Chondral Lesions Treated with Collagen Membrane - Matrix-Induced Autologous Chondrogenesis - Show Larger Increase in Clinical Scores. *Rev Bras Ortop.* 56(3):333-9 <https://www.ncbi.nlm.nih.gov/pubmed/34239198>
40. Otašević T, et al. (2020) [Two-Year Results of Modified AMIC Technique for Treatment of Cartilage Defects of the Knee]. *Acta chirurgiae orthopaedicae et traumatologiae Cechoslovaca.*87(3):167-74. <https://pubmed.ncbi.nlm.nih.gov/32773017/>
41. Tradati D, et al. (2020) AMIC-Autologous Matrix-Induced Chondrogenesis Technique in Patellar Cartilage Defects Treatment: A Retrospective Study with a Mid-Term Follow-Up. *J Clin Med.*9(4). <https://www.ncbi.nlm.nih.gov/pubmed/32326092>
42. Gudas R, et al. (2019) Clinical outcome after treatment of single and multiple cartilage defects by autologous matrix-induced chondrogenesis. *J Orthop Surg (Hong Kong).*27(2):2309499019851011. <https://www.ncbi.nlm.nih.gov/pubmed/31146653>

43. Hede K, et al. (2019) Combined Bone Marrow Aspirate and Platelet-Rich Plasma for Cartilage Repair: Two-Year Clinical Results. *Cartilage*:1947603519876329. <https://www.ncbi.nlm.nih.gov/pubmed/31538811>
44. Massen FK, et al. (2019) One-Step Autologous Minced Cartilage Procedure for the Treatment of Knee Joint Chondral and Osteochondral Lesions: A Series of 27 Patients With 2-Year Follow-up. *Orthopaedic Journal of Sports Medicine*.7(6). <https://www.ncbi.nlm.nih.gov/pubmed/31223628>
45. Astur DC, et al. (2018) Surgical treatment of chondral knee defects using a collagen membrane - autologous matrix-induced chondrogenesis. *Rev Bras Ortop*.53(6):733-9. <https://www.ncbi.nlm.nih.gov/pubmed/30377608>
46. Bertho P, et al. (2018) Treatment of large deep osteochondritis lesions of the knee by autologous matrix-induced chondrogenesis (AMIC): Preliminary results in 13 patients. *Orthop Traumatol Surg Res*.104(5):695-700. <https://www.ncbi.nlm.nih.gov/pubmed/29935334>
47. Hoburg A, et al. (2018) Treatment of osteochondral defects with a combination of bone grafting and AMIC technique. *Archives of Orthopaedic and Trauma Surgery*.138(8):1117-26. <http://dx.doi.org/10.1007/s00402-018-2944-7>
48. Lahner M, et al. (2018) Cartilage Surgery in Overweight Patients: Clinical and MRI Results after the Autologous Matrix-Induced Chondrogenesis Procedure. *Biomed Res Int*.2018:6363245. <https://www.ncbi.nlm.nih.gov/pubmed/29854770>
49. Schiavone Panni A, et al. (2018) Good clinical results with autologous matrix-induced chondrogenesis (AMIC) technique in large knee chondral defects. *Knee Surg Sports Traumatol Arthrosc*.26(4):1130-6. <https://www.ncbi.nlm.nih.gov/pubmed/28324152>
50. Sadlik B, et al. (2017) All-Arthroscopic Autologous Matrix-Induced Chondrogenesis-Aided Repair of a Patellar Cartilage Defect Using Dry Arthroscopy and a Retraction System. *J Knee Surg*.30(9):925-9. <https://www.ncbi.nlm.nih.gov/pubmed/28282672>
51. Dhollander A, et al. (2014) Treatment of patellofemoral cartilage defects in the knee by autologous matrix-induced chondrogenesis (AMIC). *Acta Orthop Belg*.80(2):251-9. <https://www.ncbi.nlm.nih.gov/pubmed/25090800>
52. Gobbi A, et al. (2014) One-step surgery with multipotent stem cells for the treatment of large full-thickness chondral defects of the knee. *Am J Sports Med*.42(3):648-57. <https://www.ncbi.nlm.nih.gov/pubmed/24458240>
53. Gille J, et al. (2013) Outcome of Autologous Matrix Induced Chondrogenesis (AMIC) in cartilage knee surgery: Data of the AMIC Registry. *Archives of Orthopaedic and Trauma Surgery*.133(1):87-93. <https://pubmed.ncbi.nlm.nih.gov/23070222/>
54. Skowronski J, et al. (2013) Large cartilage lesions of the knee treated with bone marrow concentrate and collagen membrane--results. *Ortop Traumatol Rehabil*.15(1):69-76. <https://www.ncbi.nlm.nih.gov/pubmed/23510816>
55. Kusano T, et al. (2012) Treatment of isolated chondral and osteochondral defects in the knee by autologous matrix-induced chondrogenesis (AMIC). *Knee Surg Sports Traumatol Arthrosc*.20(10):2109-15. <https://www.ncbi.nlm.nih.gov/pubmed/22198419>
56. Dhollander AA, et al. (2011) Autologous matrix-induced chondrogenesis combined with platelet-rich plasma gel: technical description and a five pilot patients report. *Knee Surg Sports Traumatol Arthrosc*.19(4):536-42. <https://www.ncbi.nlm.nih.gov/pubmed/21153540>
57. Gobbi A, et al. (2011) One-Step Cartilage Repair with Bone Marrow Aspirate Concentrated Cells and Collagen Matrix in Full-Thickness Knee Cartilage Lesions: Results at 2-Year Follow-up. *Cartilage*.2(3):286-99. <https://www.ncbi.nlm.nih.gov/pubmed/26069587>

58. Schiavone Panni A, et al. (2011) The management of knee cartilage defects with modified amic technique: preliminary results. *Int J Immunopathol Pharmacol.*24(1 Suppl 2):149-52.
<https://www.ncbi.nlm.nih.gov/pubmed/21669155>
59. Gille J, et al. (2010) Mid-term results of Autologous Matrix-Induced Chondrogenesis for treatment of focal cartilage defects in the knee. *Knee Surg Sports Traumatol Arthrosc.*18(11):1456-64.
<https://www.ncbi.nlm.nih.gov/pubmed/20127072>
60. Pascarella A, et al. (2010) Treatment of articular cartilage lesions of the knee joint using a modified AMIC technique. *Knee Surg Sports Traumatol Arthrosc.*18(4):509-13.
<https://www.ncbi.nlm.nih.gov/pubmed/20012016>

1.6. Guidelines

61. Niemeyer P, et al. (2023) Empfehlungen der AG Klinische Geweberegeneration zur Behandlung von Knorpelschäden am Kniegelenk. *Z Orthop Unfall.* 161(1):57-64.
<https://pubmed.ncbi.nlm.nih.gov/35189656/>
62. Niemeyer P, et al. (2018) Stellenwert der matrixaugmentierten Knochenmarkstimulation in der Behandlung von Knorpelschäden des Kniegelenks: Konsensusempfehlungen der AG Klinische Geweberegeneration der DGOU. *Z Orthop Unfall.* 2018 Oct;156(5):513-532.
<https://pubmed.ncbi.nlm.nih.gov/29913540/>

1.7. Case Reports & Expert Opinions

63. Felder JJ, et al. (2015) Advances and Current Concepts of Cartilage Repair in the Patellofemoral Joint. *Operative Techniques in Sports Medicine.*23(2):143-9.
<https://www.sciencedirect.com/science/article/pii/S106018721500026X>
64. Sadlik B, et al. (2014) Dry arthroscopy with a retraction system for matrix-aided cartilage repair of patellar lesions. *Arthroscopy Techniques.*3(1):e141-e4.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3986628/pdf/main.pdf>
65. de Girolamo L, et al. (2012) Modified autologous matrix-induced chondrogenesis (AMIC) for the treatment of a large osteochondral defect in a varus knee: a case report. *Knee Surg Sports Traumatol Arthrosc.*20(11):2287-90. <https://pubmed.ncbi.nlm.nih.gov/22842652/>
66. Piontek T, et al. (2012) All-arthroscopic AMIC procedure for repair of cartilage defects of the knee. *Knee Surg Sports Traumatol Arthrosc.*20(5):922-5.
<https://www.ncbi.nlm.nih.gov/pubmed/21910000>
67. Schuttler S, et al. (2012) Periosteal Transplantation Combined with the Autologous Matrix-Induced Chondrogenesis (AMIC) Technique in Isolated Patellofemoral Osteoarthritis: A Case Report. *Cartilage.*3(2):194-8. <https://pubmed.ncbi.nlm.nih.gov/26069633/>
68. Benthien JP, et al. (2011) The treatment of chondral and osteochondral defects of the knee with autologous matrix-induced chondrogenesis (AMIC): method description and recent developments. *Knee Surg Sports Traumatol Arthrosc.*19(8):1316-9.
<https://www.ncbi.nlm.nih.gov/pubmed/21234543>
69. Benthien JP, et al. (2010) Autologous matrix-induced chondrogenesis (AMIC). A one-step procedure for retropatellar articular resurfacing. *Acta Orthop Belg.*76(2):260-3.
<https://www.ncbi.nlm.nih.gov/pubmed/20503954>

2. AMIC Patellofemoral (Subset from AMIC Knee)

2.1. Case Control

- (21.) Debieux, et al., (2024) Autologous Matrix-Induced Chondrogenesis Versus Osteochondral Autograft Transfer System in Patellar Chondral Lesions: A Comparative Study with a 2-Year Follow-Up. *Journal of Cartilage & Joint Preservation*. 26 April 2024, 100189. <https://doi.org/10.1016/j.jcjp.2024.100189>
- (23.) Migliorini F, *et al.*, (2021) Management of Patellar Chondral Defects with Autologous Matrix Induced Chondrogenesis (AMIC) Compared to Microfractures: A Four Years Follow-Up Clinical Trial. *Life (Basel)*. 11(2):141. <https://pubmed.ncbi.nlm.nih.gov/33668454/>

2.2. Case series

- (30.) Gille J, (2023) Positive outcomes following Autologous Matrix-Induced Chondrogenesis (AMIC) in the treatment of retropatellar chondral lesions: a retrospective analysis of a patient registry. *BMC Musculoskelet Disord*. 2023;24(1):964. <https://doi.org/10.1186/s12891-023-06923-8>
- (37.) Waltenspül M, et al. (2021) Autologous Matrix-Induced Chondrogenesis (AMIC) for Isolated Retropatellar Cartilage Lesions: Outcome after a Follow-Up of Minimum 2 Years. *CARTILAGE*:. Dec;13(1_suppl):1280S-1290S. <https://pubmed.ncbi.nlm.nih.gov/34116609/>
- (41.) Tradati D, et al. (2020) AMIC-Autologous Matrix-Induced Chondrogenesis Technique in Patellar Cartilage Defects Treatment: A Retrospective Study with a Mid-Term Follow-Up. *J Clin Med*.9(4). <https://www.ncbi.nlm.nih.gov/pubmed/32326092>
- (50.) Sadlik B, et al. (2017) All-Arthroscopic Autologous Matrix-Induced Chondrogenesis-Aided Repair of a Patellar Cartilage Defect Using Dry Arthroscopy and a Retraction System. *J Knee Surg*.30(9):925-9. <https://www.ncbi.nlm.nih.gov/pubmed/28282672>

2.3. Case Reports

- (64.) Sadlik B, *et al.* (2014) Dry arthroscopy with a retraction system for matrix-aided cartilage repair of patellar lesions. *Arthroscopy Techniques*.3(1):e141-e4. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3986628/pdf/main.pdf>
- (67.) Schuttler S, et al. (2012) Periosteal Transplantation Combined with the Autologous Matrix-Induced Chondrogenesis (AMIC) Technique in Isolated Patellofemoral Osteoarthritis: A Case Report. *Cartilage*.3(2):194-8. <https://pubmed.ncbi.nlm.nih.gov/26069633/>
- (69.) Benthien JP, *et al.* (2010) Autologous matrix-induced chondrogenesis (AMIC). A one-step procedure for retropatellar articular resurfacing. *Acta Orthop Belg*.76(2):260-3. <https://www.ncbi.nlm.nih.gov/pubmed/20503954>

3. AMIC ANKLE

3.1. Meta-Analysis

70. Jiang, *et al.*, (2024) The efficacy of autologous matrix-induced chondrogenesis (AMIC) for osteochondral lesions of the talus in the mid-long term: a systematic review and meta-analysis. *J Orthop Surg Res* 19:373. <https://pubmed.ncbi.nlm.nih.gov/38915104/>
71. Migliorini F, *et al.* (2022) Surgical Management of Focal Chondral Defects of the Talus: A Bayesian Network Meta-analysis. *Am J Sports Med*.50(10):2853-9. <https://www.ncbi.nlm.nih.gov/pubmed/34543085>
72. Walther M, *et al.*, (2020) Is there clinical evidence to support autologous matrix-induced chondrogenesis (AMIC) for chondral defects in the talus? A systematic review and meta-analysis. *Foot and Ankle Surgery*. 2020. <https://pubmed.ncbi.nlm.nih.gov/32811744/>

3.2. Systematic Review

73. Migliorini F, *et al.* (2022) Autologous Matrix-Induced Chondrogenesis (AMIC) for Osteochondral Defects of the Talus: A Systematic Review. *Life*.12(11):1738. <https://pubmed.ncbi.nlm.nih.gov/36362893/>
74. Migliorini, F., *et al.*, (2021). "Matrix-induced autologous chondrocyte implantation versus autologous matrix-induced chondrogenesis for chondral defects of the talus: a systematic review." *Br Med Bull*. <https://www.ncbi.nlm.nih.gov/pubmed/33940611>
75. Jantzen C, *et al.*, (2022). AMIC Procedure for Treatment of Osteochondral Lesions of Talus-A Systematic Review of the Current Literature. *J Foot Ankle Surg*. 2021. <https://www.ncbi.nlm.nih.gov/pubmed/35012836>

3.3. Case Control

76. Migliorini, F., *et al.*, (2021). "Autologous Matrix Induced Chondrogenesis (AMIC) Compared to Microfractures for Chondral Defects of the Talar Shoulder: A Five-Year Follow-Up Prospective Cohort Study." *Life* 11(3): 244. <https://pubmed.ncbi.nlm.nih.gov/33809441/>
77. Ackermann, J., *et al.*, (2021). "Autologous Matrix-Induced Chondrogenesis With Lateral Ligament Stabilization for Osteochondral Lesions of the Talus in Patients With Ankle Instability." *Orthopaedic Journal of Sports Medicine* 9(5): 23259671211007439. <https://pubmed.ncbi.nlm.nih.gov/34036112/>
78. Becher, C., *et al.*, (2019). "Arthroscopic microfracture vs. arthroscopic autologous matrix-induced chondrogenesis for the treatment of articular cartilage defects of the talus." *Knee Surg Sports Traumatol Arthrosc* 27(9): 2731-2736. <https://www.ncbi.nlm.nih.gov/pubmed/30392029>
79. Richter, M., *et al.*, (2019). "Comparison Matrix-Associated Stem Cell Transplantation (MAST) with Autologous Matrix Induced Chondrogenesis plus Peripheral Blood Concentrate (AMIC + PBC) in Chondral Lesions at the Ankle—A clinical matched-patient analysis." *Foot and Ankle Surgery* S1268-7731(19)30141-9. <https://www.ncbi.nlm.nih.gov/pubmed/31548148>

3.4. Case Series

80. Peras, *et al.*, (2024) Results of the AMIC® method in patients operated on for an osteochondral lesion of the talar dome (OLTD) at a mean follow-up of 34 months. A retrospective multicenter study. *Orthop Traumatol: Surg Res* 104020. <https://pubmed.ncbi.nlm.nih.gov/39406585/>
81. Efrima, *et al.*, (2024) Significant Clinical Improvement After Arthroscopic Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: A 5-Year Follow-Up. *Cartilage*. 2024 Mar 30:19476035241240341. <https://pubmed.ncbi.nlm.nih.gov/38554040/>

82. Gottschalk O, *et al.* (2022) Evaluation of the new defined EFAS score (European foot and ankle society score) in relation to already established functional scores (FFI, MOXFQ) after cartilage reconstructive therapy (AMIC®) for osteochondral lesion of the talus. *Foot and Ankle Surgery*. <https://pubmed.ncbi.nlm.nih.gov/35144852/>
83. Gottschalk O, *et al.* (2022) Correlation between EFAS- and MOCART score and clinical outcome after AMIC((R))-procedure for osteochondral lesion of the talus. *Arch Orthop Trauma Surg*. <https://www.ncbi.nlm.nih.gov/pubmed/35597883>
84. Migliorini F, *et al.* (2022) Autologous matrix induced chondrogenesis (AMIC) as revision procedure for failed AMIC in recurrent symptomatic osteochondral defects of the talus. *Sci Rep*.12(1):16244. <https://www.ncbi.nlm.nih.gov/pubmed/36171261>
85. Richter M, *et al.* (2022) Autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral lesions at the ankle as part of a complex surgical approach - 5-year follow-up. *Foot Ankle Surg*.28(8):1321-6. <https://www.ncbi.nlm.nih.gov/pubmed/35803836>
86. Casari FA, *et al.* (2021) The Role of Magnetic Resonance Imaging in Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: Analyzing MOCART 1 and 2.0. *Cartilage*.13(1_suppl):639s-45s. <https://pubmed.ncbi.nlm.nih.gov/32741215/>
87. Götze C, *et al.* (2021) AMIC for traumatic focal osteochondral defect of the talar shoulder: a 5 years follow-up prospective cohort study. *BMC Musculoskelet Disord*.22(1):638. <https://pubmed.ncbi.nlm.nih.gov/34303367/>
88. Viehofer AF, *et al.* (2021) Smoking Is Associated with Anterior Ankle Impingement After Isolated Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus. *Cartilage*.13(suppl_1):1366S – 72S. <https://www.ncbi.nlm.nih.gov/pubmed/32940049>
89. Ahrend M-D, *et al.* (2020) Preexisting and treated concomitant ankle instability does not compromise patient-reported outcomes of solitary osteochondral lesions of the talus treated with matrix-induced bone marrow stimulation in the first postoperative year: data from the German Cartilage Registry (KnorpelRegister DGOU). *Knee Surgery, Sports Traumatology, Arthroscopy*. <https://pubmed.ncbi.nlm.nih.gov/32737525/>
90. Ayyaswamy B, *et al.* (2020) Early to medium term outcomes of osteochondral lesions of the talus treated by autologous matrix induced chondrogenesis (AMIC). *Foot Ankle Surg*. <https://www.ncbi.nlm.nih.gov/pubmed/32414700>
91. Gottschalk O, *et al.* (2020) Influence of the Medial Malleolus Osteotomy on the Clinical Outcome of M-BMS + I/III Collagen Scaffold in Medial Talar Osteochondral Lesion (German Cartilage Register/Knorpelregister DGOU). *Cartilage*:1947603520961169. <https://www.ncbi.nlm.nih.gov/pubmed/33030049>
92. Götze C, *et al.* (2020) AMIC for Focal Osteochondral Defect of the Talar Shoulder. . *Life*.10:328. <https://pubmed.ncbi.nlm.nih.gov/33291383/>
93. Korner D, *et al.* (2020) Concomitant ankle instability has a negative impact on the quality of life in patients with osteochondral lesions of the talus: data from the German Cartilage Registry (KnorpelRegister DGOU). *Knee Surg Sports Traumatol Arthrosc*.28(10):3339-46. <https://www.ncbi.nlm.nih.gov/pubmed/32240347>
94. D'Ambrosi R, *et al.* (2019) Return to Sport After Arthroscopic Autologous Matrix-Induced Chondrogenesis for Patients With Osteochondral Lesion of the Talus. *Clin J Sport Med*.29(6):470-5. <https://www.ncbi.nlm.nih.gov/pubmed/31688177>
95. Galla M, *et al.* (2019) Open reconstruction with autologous spongiosa grafts and matrix-induced chondrogenesis for osteochondral lesions of the talus can be performed without medial malleolar osteotomy. *Knee Surg Sports Traumatol Arthrosc*.27(9):2789-95. <https://www.ncbi.nlm.nih.gov/pubmed/30019075>

96. Murphy EP, *et al.* (2019) Matrix-associated stem cell transplantation is successful in treating talar osteochondral lesions. *Knee Surg Sports Traumatol Arthrosc.*27(9):2737-43.
<https://www.ncbi.nlm.nih.gov/pubmed/30888452>
97. Richter M, *et al.* (2019) Matrix-associated stem cell transplantation (MAST) in chondral lesions at the ankle as part of a complex surgical approach- 5-year-follow-up in 100 patients. *Foot and Ankle Surgery.*25(3):264-71. <https://www.ncbi.nlm.nih.gov/pubmed/29409182>
98. Sadlik B, *et al.* (2019) Surgical repair of osteochondral lesions of the talus using biologic inlay osteochondral reconstruction: Clinical outcomes after treatment using a medial malleolar osteotomy approach compared to an arthroscopically-assisted approach. *Foot and Ankle Surgery.*25(4):449-56. <https://www.ncbi.nlm.nih.gov/pubmed/30321967>
99. Weigelt L, *et al.* (2019) Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: A Clinical and Radiological 2- to 8-Year Follow-up Study. *Am J Sports Med.*47(7):1679-86. <https://www.ncbi.nlm.nih.gov/pubmed/31084491>
100. Baumfeld T, *et al.* (2018) All-arthroscopic AMIC((R)) (AT-AMIC) for the treatment of talar osteochondral defects: A short follow-up case series. *Foot (Edinb).*37:23-7.
<https://www.ncbi.nlm.nih.gov/pubmed/30321855>
101. D'Ambrosi R, *et al.* (2018) The role of bone marrow edema on osteochondral lesions of the talus. *Foot Ankle Surg.*24(3):229-35. <https://www.ncbi.nlm.nih.gov/pubmed/29409254>
102. Usuelli FG, *et al.* (2018) All-arthroscopic AMIC((R)) (AT-AMIC((R))) technique with autologous bone graft for talar osteochondral defects: clinical and radiological results. *Knee Surg Sports Traumatol Arthrosc.*26(3):875-81. <https://www.ncbi.nlm.nih.gov/pubmed/27620469>
103. D'Ambrosi R, *et al.* (2017) Osteochondral Lesions of the Talus and Autologous Matrix-Induced Chondrogenesis: Is Age a Negative Predictor Outcome? *Arthroscopy.*33(2):428-35.
<https://www.ncbi.nlm.nih.gov/pubmed/27956234>
104. D'Ambrosi R, *et al.* (2017) Combining Microfractures, Autologous Bone Graft, and Autologous Matrix-Induced Chondrogenesis for the Treatment of Juvenile Osteochondral Talar Lesions. *Foot Ankle Int.*38(5):485-95. <https://www.ncbi.nlm.nih.gov/pubmed/28076977>
105. Gottschalk O, *et al.* (2017) Functional Medium-Term Results After Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: A 5-Year Prospective Cohort Study. *J Foot Ankle Surg.*56(5):930-6. <https://www.ncbi.nlm.nih.gov/pubmed/28647522>
106. Usuelli FG, *et al.* (2017) The Impact of Weight on Arthroscopic Osteochondral Talar Reconstruction. *Foot Ankle Int.*38(6):612-20. <https://pubmed.ncbi.nlm.nih.gov/28379733/>
107. Kubosch EJ, *et al.* (2016) Clinical outcome and T2 assessment following autologous matrix-induced chondrogenesis in osteochondral lesions of the talus. *Int Orthop.*40(1):65-71.
<https://www.ncbi.nlm.nih.gov/pubmed/26346373>
108. Wiewiorski M, *et al.* (2016) Sports Activity After Reconstruction of Osteochondral Lesions of the Talus With Autologous Spongiosa Grafts and Autologous Matrix-Induced Chondrogenesis. *Am J Sports Med.*44(10):2651-8. <https://www.ncbi.nlm.nih.gov/pubmed/27587743>
109. Valderrabano V, *et al.* (2014) Osteochondral lesions of the ankle joint in professional soccer players: treatment with autologous matrix-induced chondrogenesis. *Foot Ankle Spec.*7(6):522-8.
<https://www.ncbi.nlm.nih.gov/pubmed/25037954>
110. Richter M, *et al.* (2013) Matrix-associated stem cell transplantation (MAST) in chondral defects of foot and ankle is effective. *Foot and Ankle Surgery.*19(2):84-90.
<https://www.ncbi.nlm.nih.gov/pubmed/23548448>
111. Valderrabano V, *et al.* (2013) Reconstruction of osteochondral lesions of the talus with autologous spongiosa grafts and autologous matrix-induced chondrogenesis. *Am J Sports Med.*41(3):519-27.
<https://www.ncbi.nlm.nih.gov/pubmed/23393079>

112. Wiewiorski M, *et al.* (2013) Delayed gadolinium-enhanced MRI of cartilage of the ankle joint: results after autologous matrix-induced chondrogenesis (AMIC)-aided reconstruction of osteochondral lesions of the talus. *Clinical radiology*.68(10):1031-8.
<https://pubmed.ncbi.nlm.nih.gov/23809267/>

3.5. Guidelines

113. Walther, et al., (2024) Operative management of osteochondral lesions of the talus: 2024 recommendations of the working group 'clinical tissue regeneration' of the German Society of Orthopedics and Traumatology (DGOU). *EFORT Open Rev.* 2024 Mar 5;9(3):217-234
<https://pubmed.ncbi.nlm.nih.gov/38457916/>
114. Aurich, M., *et al.*, (2017). "[Treatment of Osteochondral Lesions in the Ankle: A Guideline from the Group "Clinical Tissue Regeneration" of the German Society of Orthopaedics and Traumatology (DGOU)]." *Z Orthop Unfall* **155**(1): 92-99. <https://www.ncbi.nlm.nih.gov/pubmed/27769090>

3.6. Case Reports & Expert Opinions

115. Song TH, et al. (2023) Bony Union of Osteochondral Lesion of the Talus after Bone Marrow Aspirate Concentrate and Matrix-Induced Chondrogenesis: A Case Report. *JKFAS.* 2023 Dec;27(4):148–53. <https://doi.org/10.14193/jkfas.2023.27.4.148>
116. Kim BS, *et al.*, (2020) Operative Treatment for Osteochondral Lesions of the Talus: Bone Marrow Aspirate Concentrate and Matrix-induced Chondrogenesis. *J Korean Foot Ankle Soc.* 2020;24(2):61-8. <https://www.koreamed.org/SearchBasic.php?RID=2502911>
117. Hotfiel T, *et al.*, (2015) [Osteochondritis Dissecans of the Talus with Hindfoot Malalignment--Autologous Matrix-Induced Chondrogenesis with Lateral Calcaneal Distraction Osteotomy in an Internationally Successful Young Female Ski Racer]. *Sportverletz Sportschaden.* 2015;29(2):118-21.
<https://pubmed.ncbi.nlm.nih.gov/25211309/>
118. Piontek T, *et al.*, (2015) Arthroscopic Treatment of Chondral and Osteochondral Defects in the Ankle Using the Autologous Matrix-Induced Chondrogenesis Technique. *Arthrosc Tech.* 2015;4(5):e463-9. <https://www.ncbi.nlm.nih.gov/pubmed/26697305>
119. Usuelli FG, *et al.*, (2015) All-Arthroscopic Autologous Matrix-Induced Chondrogenesis for the Treatment of Osteochondral Lesions of the Talus. *Arthroscopy Techniques.* 2015;4(3):e255-e9.
<https://www.ncbi.nlm.nih.gov/pubmed/26258040>
120. Syed F, *et al.*, (2014) Management of recurrent multiple osteochondral lesions of the talus (OCLT) in a young active patient. *J Clin Orthop Trauma.* 2014;5(2):99-102.
<https://www.ncbi.nlm.nih.gov/pubmed/25983479>
121. Walther M, *et al.*, (2013) Scaffold based reconstruction of focal full thickness talar cartilage defects. *Clinical Research on Foot & Ankle.* 2013;1(2):1-5. <https://www.omicsonline.org/open-access/scaffold-based-reconstruction-of-focal-full-thickness-talar-cartilage-defects-2329-910X.1000115.pdf>
122. Wiewiorski M, *et al.*, (2013) Autologous matrix-induced chondrogenesis in osteochondral lesions of the talus. *Foot Ankle Clin.* 2013;18(1):151-8. <https://www.ncbi.nlm.nih.gov/pubmed/23465954>
123. Miska M, *et al.*, (2012) Reconstruction of a large osteochondral lesion of the distal tibia with an iliac crest graft and autologous matrix-induced chondrogenesis (AMIC): a case report. *J Foot Ankle Surg.* 2012;51(5):680-3. <https://www.ncbi.nlm.nih.gov/pubmed/22770901>
124. Wiewiorski M, *et al.*, (2012) Revision of failed osteochondral autologous transplantation procedure for chronic talus osteochondral lesion with iliac crest graft and autologous matrix-induced chondrogenesis: a case report. *Foot Ankle Spec.* 2012;5(2):115-20.
<https://www.ncbi.nlm.nih.gov/pubmed/22293389>

125. Wiewiorski M, *et al.*, (2011) Autologous matrix-induced chondrogenesis aided reconstruction of a large focal osteochondral lesion of the talus. Arch Orthop Trauma Surg. 2011;131(3):293-6.
<https://www.ncbi.nlm.nih.gov/pubmed/20091174>

4. AMIC HIP

4.1. Systematic Review / Meta-Analysis

126. Lu V, et al. (2023) Outcomes of arthroscopy of the hip for femoroacetabular impingement based on intraoperative assessment using the Outerbridge classification. *Bone Jt J.* 2023;105-B(7):751–9. <https://doi.org/10.1302/0301-620x.105b7.bjj-2022-0989.r1>
127. Hotham, W. E., *et al.*, (2018). "A systematic review of surgical methods to restore articular cartilage in the hip." *Bone Joint Res* 7(5): 336-342. <https://www.ncbi.nlm.nih.gov/pubmed/29922453>

4.2. Case Control

128. Sobti, A., *et al.*, (2020). "Autologous matrix-induced chondrogenesis and bone marrow aspirate concentrate compared with microfracture for arthroscopic treatment of femoroacetabular impingement and chondral lesions of the hip: bridging the osteoarthritis gap and facilitating enhanced recovery " *J Hip Preserv Surg*: 1-8. <https://pubmed.ncbi.nlm.nih.gov/33948205/>
129. de Girolamo, L., *et al.*, (2018). "Acetabular Chondral Lesions Associated With Femoroacetabular Impingement Treated by Autologous Matrix-Induced Chondrogenesis or Microfracture: A Comparative Study at 8-Year Follow-Up." *c* 34(11): 3012-3023. <https://www.ncbi.nlm.nih.gov/pubmed/30266548>
130. Goeminne, S., *et al.*, (2016). "Arthroscopic Treatment of Acetabular Cartilage Lesions in Cam-Type Hip Impingement with Membrane Induced Chondrogenesis versus Microfracturing." *Journal of Sports Science* 4: 9-17. <http://www.davidpublisher.org/index.php/Home/Article/index?id=24729.html>
131. Fontana, A., *et al.*, (2015). "Sustained five-year benefit of autologous matrix-induced chondrogenesis for femoral acetabular impingement-induced chondral lesions compared with microfracture treatment." *Bone Joint J* 97-B(5): 628-635. <https://www.ncbi.nlm.nih.gov/pubmed/25922456>
132. Mancini, D., *et al.*, (2014). "Five-year results of arthroscopic techniques for the treatment of acetabular chondral lesions in femoroacetabular impingement." *Int Orthop* 38(10): 2057-2064. <https://www.ncbi.nlm.nih.gov/pubmed/24951948>

4.3. Case Series

133. Briem, et al., (2024) Mid-term results of autologous matrix-induced chondrogenesis for large chondral defects in hips with femoroacetabular impingement syndrome. *Bone Joint J.* 2024 May 1;106-B(5 Supple B):32-39 <https://pubmed.ncbi.nlm.nih.gov/38688500/>
134. Steppacher, S. D., *et al.*, (2020). "Surgical hip dislocation with femoral osteotomy and bone grafting prevents head collapse in hips with advanced necrosis." *Hip Int* 30(4): 398-406. <https://pubmed.ncbi.nlm.nih.gov/31204506/>
135. Thorey, F., *et al.*, (2020). "Sustained benefit of autologous matrix-induced chondrogenesis for hip cartilage repair in a recreational athletic population." *Knee Surg Sports Traumatol Arthrosc* 28(7): 2309-2315. <https://www.ncbi.nlm.nih.gov/pubmed/31781800>
136. Leibold, C. S., *et al.*, (2019). "Femoral osteotomies for the treatment of avascular necrosis of the femoral head." *Oper Orthop Traumatol.* <https://www.ncbi.nlm.nih.gov/pubmed/31784775>
137. Fontana A. (2016) Autologous Membrane Induced Chondrogenesis (AMIC) for the treatment of acetabular chondral defect. *Muscles, ligaments and tendons journal.*6(3):367-71. <https://pubmed.ncbi.nlm.nih.gov/28066742/>

138. Leunig, M., *et al.*, (2012). "Surgical technique: Second-generation bone marrow stimulation via surgical dislocation to treat hip cartilage lesions." *Clin Orthop Relat Res* 470(12): 3421-3431. <https://www.ncbi.nlm.nih.gov/pubmed/22773396>

4.4. Guidelines

139. Jannelli E, *et al.*, (2020) Il ruolo dell'artroscopia d'anca nel trattamento delle lesioni condrali acetabolari: stato dell'arte tra passato e futuro. *Giornale Italiano di Ortopedia e Traumatologia*. 2020;46:32-9. <https://www.doi.org/10.32050/0390-0134-197>
140. Fickert S, *et al.*, (2017) [Biologic Reconstruction of Full Sized Cartilage Defects of the Hip: A Guideline from the DGOU Group "Clinical Tissue Regeneration" and the Hip Committee of the AGA]. *Z Orthop Unfall*. 2017;155(6):670-82. <https://www.ncbi.nlm.nih.gov/pubmed/28915523>
141. Jannelli E, *et al.*, (2017) Arthroscopic treatment of chondral defects in the hip: AMIC, MACI, microfragmented adipose tissue transplantation (MATT) and other options. *SICOT J*. 2017;3:43. <https://www.ncbi.nlm.nih.gov/pubmed/28589877>

4.5. Case Reports & Expert Opinions

142. Fontana, A. (2012). "A Novel Technique for Treating Cartilage Defects in the Hip: A Fully Arthroscopic Approach to Using Autologous Matrix-Induced Chondrogenesis." *Arthroscopy Techniques* 1(1): e63-e68. <https://pubmed.ncbi.nlm.nih.gov/23766978/>

5. AMIC METATARSOPHALANAGEAL

5.1. Case Control

143. Richter, M., *et al.*, (2020). "Matrix-associated stem cell transplantation (MAST) versus autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral defects of the first metatarsophalangeal joint – A clinical cohort analysis." *Fuß & Sprunggelenk* **18**(3): 217-226. <http://www.sciencedirect.com/science/article/pii/S1619998720300763>

5.2. Case Series

144. Rajeev A, et al. (2022) Freiberg's disease of lesser metatarsals treated with bone grafting and autologous matrix induced chondrogenesis (AMIC) membrane - A series of 10 cases. *Foot Ankle Surg.* <https://www.ncbi.nlm.nih.gov/pubmed/36572615>
145. Richter M, et al., (2022) Autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral defects of the first metatarsophalangeal joint - 5-year follow-up. *Foot and Ankle Surgery.* <https://pubmed.ncbi.nlm.nih.gov/35850950/>
146. Nurmukhametov MR, et al., (2021) The Use of Autologous Matrix-Induced Chondrogenesis as a Surgical Treatment for Patients with the First Metatarsophalangeal Joint Osteoarthritis: Immediate and Medium-Term Results. *Cartilage.* 2021:1354S-65S. <https://www.ncbi.nlm.nih.gov/pubmed/32917097>
147. Nurmukhametov M, et al., (2020) Use Of First Metatarsophalangeal Joint Chondroplasty With The Autologous Matrix-Induced Chondrogenesis Technique For The Treatment Of Patients With Hallux Rigidus: Immediate Results. . *Rheumatology Science and Practice.* 2020;58(1):97-101. <https://rsp.elpub.ru/rsp/article/view/2849/1935>
148. Richter M, et al., (2019) Mid-term (4–7 years) results of matrix-associated stem cell transplantation (MAST) in chondral defects of the first metatarsophalangeal joint. *Fuß & Sprunggelenk.* 2019;17(1):11-20. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8696342/>
149. Richter M, et al., (2017) Matrix-associated stem cell transplantation (MAST) in chondral defects of the 1st metatarsophalangeal joint is safe and effective-2-year-follow-up in 20 patients. *Foot and Ankle Surgery.* 2017;23(3):195-200. <https://www.ncbi.nlm.nih.gov/pubmed/28865590>

5.3. Case Report

150. Rajeev, *et al.*, (2024) A Novel Method for Treating Bilateral Freiberg's Disease of the Second Metatarsal: A Case Report. *Cureus* 16:e65511. <https://pubmed.ncbi.nlm.nih.gov/39188481/>
151. Kriegelstein S, et al. (2012) Autologous matrix-induced chondrogenesis at the first metatarsophalangeal joint. *Fuss und Sprunggelenk.*10(3):191-5. <http://dx.doi.org/10.1016/j.fuspru.2012.06.009>

6. AMIC UPPER EXTREMITY

6.1. Case Series

152. Cuéllar, A., *et al.*, (2016). "The Use of All-Arthroscopic Autologous Matrix-Induced Chondrogenesis for the Management of Humeral and Glenoid Chondral Defects in the Shoulder." *Arthroscopy Techniques* **5**(2): e223-e227. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4912974/pdf/main.pdf>

6.2. Case Report

153. De Vega PLO, *et al.*, (2021) AMIC Technique for the Treatment of Chondral Injuries of the Hand and Wrist. *Revista Iberoamericana de Cirugia de la Mano*. 2021;49(2):E165-E75.
<https://www.thieme-connect.com/products/ejournals/html/10.1055/s-0041-1739163>
154. Buchmann, S., *et al.*, (2012). "Early clinical and structural results after autologous chondrocyte transplantation at the glenohumeral joint." *J Shoulder Elbow Surg* 21(9): 1213-1221.
<https://www.ncbi.nlm.nih.gov/pubmed/22047789>

7. Hyaline-like cartilage with Chondro-Gide (Subset)

- (115.) Kim BS, *et al.*, (2020). Operative Treatment for Osteochondral Lesions of the Talus: Bone Marrow Aspirate Concentrate and Matrix-induced Chondrogenesis. *J Korean Foot Ankle Soc.*: 24(2):61-8.
<https://doi.org/10.14193/jkfas.2020.24.2.61>
155. Zhang C, *et al.*, (2016). One-Step Cartilage Repair Technique as a Next Generation of Cell Therapy for Cartilage Defects: Biological Characteristics, Preclinical Application, Surgical Techniques, and Clinical Developments. *Arthroscopy*: 32(7):1444-50.
<https://www.ncbi.nlm.nih.gov/pubmed/27129375>
- (52.) Gobbi A, *et al.*, (2014). One-step surgery with multipotent stem cells for the treatment of large full-thickness chondral defects of the knee. *Am J Sports Med*: 42(3):648-57.
<https://www.ncbi.nlm.nih.gov/pubmed/24458240>
- (112.) Wiewiorski M, *et al.*, (2013). Delayed gadolinium-enhanced MRI of cartilage of the ankle joint: results after autologous matrix-induced chondrogenesis (AMIC)-aided reconstruction of osteochondral lesions of the talus. *Clinical radiology*: 68(10):1031-8.
<https://pubmed.ncbi.nlm.nih.gov/23809267/>
- (57.) Gobbi A, *et al.*, (2011). One-Step Cartilage Repair with Bone Marrow Aspirate Concentrated Cells and Collagen Matrix in Full-Thickness Knee Cartilage Lesions: Results at 2-Year Follow-up. *Cartilage*.2(3):286-99. <https://www.ncbi.nlm.nih.gov/pubmed/26069587>