

Selected References on Biological Adjuvants (2026)

Contents

1	PRP – Platelet Rich Plasma.....	2
2	AMFAT – Autologous Micro-Fragmented Adipose Tissue.....	2
3	MC – Minced Cartilage	3
4	BMAC – Bone Marrow Aspirate Concentrate	3
5	BMA – Bone Marrow Aspirate.....	4
6	PBC – Peripheral Blood Concentrate.....	4
7	Multiple Adjuvants.....	5

1 PRP – Platelet Rich Plasma

1. Steinwachs MR, Waibl B, Wopperer S, Mumme M. Matrix-associated chondroplasty: a novel platelet-rich plasma and concentrated nucleated bone marrow cell-enhanced cartilage restoration technique. *Arthrosc Tech.* 2014 Apr 21;3(2):e279-82 <https://doi.org/10.1016/j.eats.2014.01.002>
2. Hede K, Christensen BB, Jensen J, Foldager CB, Lind M. Combined Bone Marrow Aspirate and Platelet-Rich Plasma for Cartilage Repair: Two-Year Clinical Results. *Cartilage.* 2019; Dec;13(1_suppl):937S-947S. <https://doi.org/10.1177/1947603519876329>
3. Dhollander AA, Neve FD, Almqvist KF, Verdonk R, Lambrecht S, Elewaut D, et al. Autologous matrix-induced chondrogenesis combined with platelet-rich plasma gel: technical description and a five pilot patients report. *Knee Surg Sports Traumatol Arthrosc.* 2011 Apr;19(4):536-42. <https://doi.org/10.1007/s00167-010-1337-4>

2 AMFAT – Autologous Micro-Fragmented Adipose Tissue

4. Sciarretta FV, Ascani C, Sodano L, Fossati C, Campisi S. One-stage cartilage repair using the autologous matrix-induced chondrogenesis combined with simultaneous use of autologous adipose tissue graft and adipose tissue mesenchymal cells technique: clinical results and magnetic resonance imaging evaluation at five-year follow-up. *Int Orthop.* 2024 Jan;48(1):267-277. <https://doi.org/10.1007/s00264-023-05921-8>
5. Leal DP, Fuller H, Varone BB, Moreira da Silva AG, Demange MK, Gobbi RG, Passarelli Tirico LE. Microfragmented Adipose Tissue Associated With Collagen Membrane in the Treatment of Focal Knee Cartilage Defect. *Arthrosc Tech.* 2024 Jun 1;13(10):103075. <https://doi.org/10.1016/j.eats.2024.103075>
6. Debieux P, Ribeiro GG, Wong KL, Cohen M, Kaleka CC. LIPO-AMIC Technique Description: Autologous Matrix Induced-Chondrogenesis With Microfragmented Adipose Tissue Graft. *Arthrosc Tech.* 2024 Oct 29;14(3):103279. <https://doi.org/10.1016/j.eats.2024.103279>
7. Sciarretta FV, Ascani C, Fossati C, Campisi S. IPO-AMIC: descrizione tecnica e studio pilota su 18 pazienti della tecnica AMIC® modificata con aggiunta di cellule mesenchimali da tessuto adiposo. *Giornale Italiano di Ortopedia e Traumatologia.* 2017;43:156–62.
8. Jannelli E, Maccario G, Ivone A, Ghiara M, Calderoni E, Puddu L, et al. Il ruolo dell'artroscopia d'anca nel trattamento delle lesioni condrali acetabolari: stato dell'arte tra passato e futuro. *Giornale Italiano di Ortopedia e Traumatologia.* 2020;46:32–9. <https://doi.org/10.32050/0390-0134-197>
9. Jannelli E, Fontana A. Arthroscopic treatment of chondral defects in the hip: AMIC, MACI, microfragmented adipose tissue transplantation (MATT) and other options. *SICOT J.* 2017;3:43. <https://doi.org/10.1051/sicotj/2017029>
10. de Girolamo L, Jannelli E, Fioruzzi A, Fontana A. Acetabular Chondral Lesions Associated With Femoroacetabular Impingement Treated by Autologous Matrix-Induced Chondrogenesis or Microfracture: A Comparative Study at 8-Year Follow-Up. *Arthroscopy.* 2018 Nov;34(11):3012-3023. <https://doi.org/10.1016/j.arthro.2018.05.035>

3 MC – Minced Cartilage

11. Salzman GM, Calek AK, Preiss S. Second-Generation Autologous Minced Cartilage Repair Technique. *Arthrosc Tech*. 2017 Jan 30;6(1):e127-e131.
<https://doi.org/10.1016/j.eats.2016.09.011>
12. Massen FK, Inauen CR, Harder LP, Runer A, Preiss S, Salzman GM. One-Step Autologous Minced Cartilage Procedure for the Treatment of Knee Joint Chondral and Osteochondral Lesions: A Series of 27 Patients With 2-Year Follow-up. *Orthop J Sports Med*. 2019 Jun 13;7(6):2325967119853773.
<https://doi.org/10.1177/2325967119853773>
13. Runer A, Leuthard L, Hoheisel L, Stadelmann VA, Preiss S, Salzman GM, Hax J. Minced cartilage implantation provides comparable outcomes to autologous chondrocyte implantation (ACI) for knee cartilage lesions: A matched-pair analysis. *Knee Surg Sports Traumatol Arthrosc*. 2025 Dec 7.
<https://doi.org/10.1002/ksa.70210>
14. Waltenspül M, Suter C, Ackermann J, Kühne N, Fucentese SF. Autologous Matrix-Induced Chondrogenesis (AMIC) for Isolated Retropatellar Cartilage Lesions: Outcome after a Follow-Up of Minimum 2 Years. *Cartilage*. 2021 Dec;13(1_suppl):1280S-1290S. <https://doi.org/10.1177/19476035211021908>

4 BMAC – Bone Marrow Aspirate Concentrate

15. Kim BS, Na Y, Kwon WH. Operative Treatment for Osteochondral Lesions of the Talus: Bone Marrow Aspirate Concentrate and Matrix-induced Chondrogenesis. *J Korean Foot Ankle Soc*. 2020;24:61–8.
<https://doi.org/10.14193/jkfas.2020.24.2.61>
16. Gobbi A, Karnatzikos G, Scotti C, Mahajan V, Mazzucco L, Grigolo B. One-Step Cartilage Repair with Bone Marrow Aspirate Concentrated Cells and Collagen Matrix in Full-Thickness Knee Cartilage Lesions: Results at 2-Year Follow-up. *Cartilage*. 2011 Jul;2(3):286-99. <https://doi.org/10.1177/1947603510392023>
17. Gobbi A, Karnatzikos G, Sankineani SR. One-step surgery with multipotent stem cells for the treatment of large full-thickness chondral defects of the knee. *Am J Sports Med*. 2014 Mar;42(3):648-57.
<https://doi.org/10.1177/0363546513518007>
18. Sobti AS, Baryeh KW, Woolf R, Chana R. Autologous matrix-induced chondrogenesis and bone marrow aspirate concentrate compared with microfracture for arthroscopic treatment of femoroacetabular impingement and chondral lesions of the hip: bridging the osteoarthritis gap and facilitating enhanced recovery. *J Hip Preserv Surg*. 2020 Oct 13;7(3):503-510. <https://doi.org/10.1093/jhps/hnaa047>
19. de Girolamo L, Schönhuber H, Viganò M, Bait C, Quaglia A, Thiebat G, Volpi P. Autologous Matrix-Induced Chondrogenesis (AMIC) and AMIC Enhanced by Autologous Concentrated Bone Marrow Aspirate (BMAC) Allow for Stable Clinical and Functional Improvements at up to 9 Years Follow-Up: Results from a Randomized Controlled Study. *J Clin Med*. 2019 Mar 21;8(3):392.
<https://doi.org/10.3390/jcm8030392>

5 BMA – Bone Marrow Aspirate

20. Piontek T, Ciemniowska-Gorzela K, Szulc A, Stomczykowski M, Jakob R. All-arthroscopic technique of biological meniscal tear therapy with collagen matrix. *Pol Orthop Traumatol*. 2012 Jul 31;77:39-45.
21. Murphy EP, Fenelon C, Egan C, Kearns SR. Matrix-associated stem cell transplantation is successful in treating talar osteochondral lesions. *Knee Surg Sports Traumatol Arthrosc*. 2019 Sep;27(9):2737-2743.
<https://doi.org/10.1007/s00167-019-05452-z>
22. Richter M, Zech S, Meissner S, Naef I. Mid-term (4–7 years) results of matrix-associated stem cell transplantation (MAST) in chondral defects of the first metatarsophalangeal joint. *Fuß & Sprunggelenk*. 2019;17:11–20.
23. Richter M, Zech S, Meissner S, Naef I. Mid-term (4-7 years) Results of Matrix-Associated Stem Cell Transplantation (MAST) in Chondral Defects of the First Metatarsophalangeal Joint. *Foot Ankle Orthop*. 2019 Oct 28;4(4):2473011419S00357.

6 PBC – Peripheral Blood Concentrate

24. Richter M, Zech S, Meissner SA, Naef I. Matrix-associated stem cell transplantation (MAST) versus autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral defects of the first metatarsophalangeal joint – A clinical cohort analysis. *Fuß & Sprunggelenk*. 2020;18:217–26.
<https://doi.org/10.1016/j.fuspru.2020.05.002>
25. Richter M, Zech S, Meissner S, Naef I. Comparison Matrix-Associated Stem Cell Transplantation (MAST) with Autologous Matrix Induced Chondrogenesis plus Peripheral Blood Concentrate (AMIC+PBC) in chondral lesions at the ankle-A clinical matched-patient analysis. *Foot Ankle Surg*. 2020 Aug;26(6):669-675.
<https://doi.org/10.1016/j.fas.2019.08.009>
26. Richter M. Autologous matrix-induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral defects of the first metatarsophalangeal joint. *Oper Orthop Traumatol*. 2021 Dec;33(6):471-479.
<https://doi.org/10.1007/s00064-021-00742-7>
27. Richter M, Zech S, Meissner S, Naef I. Autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral lesions at the ankle as part of a complex surgical approach - 5-year follow-up. *Foot Ankle Surg*. 2022 Dec;28(8):1321-1326. <https://doi.org/10.1016/j.fas.2022.06.015>
28. Richter M, Zech S, Meissner SA, Naef I. Autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral defects of the first metatarsophalangeal joint - 5-year follow-up. *Foot and Ankle Surgery*. 2022;28:1366–71.
<https://doi.org/10.1016/j.fas.2022.07.002>

7 Multiple Adjuvants

29. Steinwachs MR, Waibl B, Wopperer S, Mumme M. Matrix-associated chondroplasty: a novel platelet-rich plasma and concentrated nucleated bone marrow cell-enhanced cartilage restoration technique. *Arthrosc Tech.* 2014 Apr 21;3(2):e279-82.
<https://doi.org/10.1016/j.eats.2014.01.002>
30. Hede K, Christensen BB, Jensen J, Foldager CB, Lind M. Combined Bone Marrow Aspirate and Platelet-Rich Plasma for Cartilage Repair: Two-Year Clinical Results. *Cartilage.* 2021 Dec;13(1_suppl):937S-947S.
<https://doi.org/10.1177/1947603519876329>